


Illuminated Selector Head, momentary OKSTALM_BL

Category:	Selector Switches (momentary/maintained)
Series:	OKTRON [®]
Panel cut-out:	Ø 16.2 mm
Protection class:	II (protective insulation)
Degree of protection:	IP65
Switching function:	momentary action
Illumination:	Si
With labelling option:	No
Colour:	silver-coloured
Component colour:	front bezel
Colour 2:	blue
Component colour 2:	knob colour
Shape:	square

Optional accessory



ASI_BTK25_01



ASI_BTK25_02



ASI_BZL5



AZL4I



AZL4O



BZLI



BZLI5



BZLI5K



BZLI5K_AU



BZLI5_AU



BZLII



BZLII5



BZLII5K



BZLII5K_AU



BZLII5_AU



BZLIIK



BZLIIK_AU



BZLII_AU



BZLIIK



BZLIK_AU



BZLI_AU



BZLO



BZLO5



BZLO5K



BZLO5K_AU



BZLO5_AU



BZLOI



BZLOI5



BZLOI5K



BZLOI5K_AU



BZLOI5_AU



BZLOIK




BZLOIK_AU



BZLOI_AU



BZLOK



BZLOK_AU



BZLOO



BZLOO5



BZLOO5K



BZLOO5K_AU



BZLOO5_AU



BZLOOK



BZLOOK_AU



BZLOO_AU



BZLO_AU



CO_BTK25_01



CO_BTK25_02



CO_BTK25_03



CO_BTK25_04



CTL2



CTLF



CTLF_250



CTLP_485



CZTLP



CZTLP2



DIRL1V-R16



DIRL1VGB-R16



DIRL2V-R16



DIRL3V-R16



DIRL4V-R16



DP_BTK25_01



DP_BTK25_02



DP_BTK25_03



DP_BTK25_04



EC_BTK25_01



EC_BTK25_02



EC_BTK25_03



EC_BTK25_04



EN_BTK25_01



EN_BTK25_02



EN_BTK25_03



EN_BTK25_04



PN_BTK25_01



PN_BTK25_02



PN_BTK25_03



PN_BTK25_04



QXABT



QXABT_M



SIL16/1



SILH16/1

