



Illuminated Selector Head, left maintained, right momentary OKWCLM_BL

Category:	Selector Switches (momentary/maintained)
Series:	OKTRON®
Panel cut-out:	Ø 16.2 mm
Protection class:	II (protective insulation)
Degree of protection:	IP65
Switching function:	momentary and maintained action
Illumination:	Si
With labelling option:	No
Colour:	silver-coloured
Component colour:	front bezel
Colour 2:	blue
Component colour 2:	knob colour
Shape:	square

Optional accessory



ASI_BZL5



AZL4I



AZL4O



BZLII



BZLII5



BZLII5K



BZLII5K_AU



BZLII5_AU



BZLIIK



BZLIIK_AU



BZLII_AU



BZLOI



BZLOI5



BZLOI5K



BZLOI5K_AU



BZLOI5_AU



BZLOIK



BZLOIK_AU



BZLOI_AU



BZLOO



BZLOO5



BZLOO5K



BZLOO5K_AU



BZLOO5_AU



BZLOOK



BZLOOK_AU



BZLOO_AU



BZL_439



BZL_439_AU



CTL2



CTL2_549



CZTLP2_549



DIRL1V-R16



DIRL1VGB-R16



DIRL2V-R16



DIRL3V-R16



DIRL4V-R16



QXABT



QXABT_M



SIL16/1



SILH16/1

