

Outdoor Air Conditioner KG 8512-400V



Product Features

Brand Name:	SlimLine Pro
Order Number:	851220001
Color:	RAL 7035
Housing Material:	Mild steel, powder coated
IP class EN 60529:	External circuit: IP 24 Internal circuit: IP 54
Optional:	With 800 W cabinet heater order no. 851221001
Approvals:	CE, RoHS, cURus (Q4/18)
Taric Code:	84158200

Technical data KG 8512-400V

Cooling capacity L35L35:	1.2 kW
Cooling capacity L35L50:	900 W
Heating capacity:	800 W (optional)
Compressor:	Reciprocating compressor
Refrigerant / GWP:	R134a / 1430
Temperature range:	+40°C - +60°C
Air volume flow:	Ambient air circuit: 500 m³/h Cabinet air circuit: 300 m³/h
Mounting:	External / recessed
Dimension HxWxD:	950 x 305 x 210 mm
Weight:	47 kg
Voltage / Frequency:	400/460 V - 50/60 Hz 2~
Current L35L35:	1.4 A
Starting current:	15 A
Max. current:	2.1 A
Nominal power L35L35:	670 W
Max. power:	1,050 W
Fuse:	3.5 A (T)
Connection:	Connection terminal block

Please click on the graphics to download.

More CAD drawings can be found under [Product Download](#).

> [Overview product group Cabinet cooling units - SlimLine Pro](#)

