

Outdoor Air Conditioner KG 8520-400V



Product Features

Brand Name:	SlimLine Pro
Order Number:	852020001
Color:	RAL 7035
Housing Material:	Mild steel, powder coated
IP class EN 60529:	IP 56
Optional:	With 1,000 W cabinet heater order no. 852021001
Approvals:	CE, RoHS, cURus (Q4/18)
Taric Code:	84158200

Technical data KG 8520-400V

Cooling capacity L35L35:	2 kW
Cooling capacity L35L50:	1,5 kW
Heating capacity:	1,000 W (optional)
Compressor:	Reciprocating compressor
Refrigerant / GWP:	R134a / 1430
Temperature range:	-40°C - +60°C
Air volume flow:	Ambient air circuit: 750 m³/h Cabinet air circuit: 450 m³/h
Mounting:	External / recessed
Dimension HxWxD:	1,350 x 395 x 210 mm
Weight:	60 kg
Voltage / Frequency:	400/460 V - 50/60 Hz 2~
Current L35L35:	2.3 A
Starting current:	16 A
Max. current:	2.9 A
Nominal power L35L35:	1,100 W
Max. power:	1,550 W
Fuse:	5 A (T)
Connection:	Connection terminal block

Please click on the graphics to download.

More CAD drawings can be found under [Product Download](#).

> [Overview product group Cabinet cooling units - SlimLine Pro](#)

