

Outdoor Air Conditioner KG 8525-400V



Product Features

Brand Name:	SlimLine Pro
Order Number:	852520001
Color:	RAL 7035
Housing Material:	Mild steel, powder coated
IP class EN 60529:	IP 56
Optional:	With 1,500 W cabinet heater order no. 852521001
Approvals:	CE, RoHS, cURus (Q4/18)
Taric Code:	84158200

Technical data KG 8525-400V

Cooling capacity L35L35:	2.5 kW
Cooling capacity L35L50:	1.9 kW
Heating capacity:	1,500 W (optional)
Compressor:	Reciprocating compressor
Refrigerant / GWP:	R134a / 1430
Temperature range:	-40°C - +60°C
Air volume flow:	Ambient air circuit: 1,200 m³/h Cabinet air circuit: 825 m³/h
Mounting:	External / recessed
Dimension HxWxD:	1,550 x 455 x 270 mm
Weight:	67 kg
Voltage / Frequency:	380/400 V - 50 Hz 3~ 420/460 V - 60 Hz 3~
Current L35L35:	2.4 A
Starting current:	11 A
Max. current:	4.1 A
Nominal power L35L35:	1,250 W
Max. power:	2,250 W
Fuse:	7 A (T)
Connection:	Connection terminal block

Please click on the graphics to download.

More CAD drawings can be found under [Product Download](#).

> [Overview product group Cabinet cooling units - SlimLine Pro](#)

