

Outdoor Air Conditioner OC 5710-230V



Product Features

Brand Name:	SoliTherm Outdoor
Order Number:	571000001
Color:	RAL 7035
Housing Material:	Mild steel, powder coated
IP class EN 60529:	IP 56 (TYPE 12, 3, 3R, 4)
Optional:	With 400 W cabinet heater order no. 571001001
Approvals:	CE, cURus, RoHS
Taric Code:	84158200

Technical data OC 5710-230V

Cooling capacity L35L35:	1.00 kW @ 50 Hz 1.08 kW @ 60 Hz
Cooling capacity L35L50:	660 W @ 50 Hz 720 W @ 60 Hz
Compressor:	Reciprocating compressor
Refrigerant / GWP:	R134a / 1430
Refrigerant charge:	210 g / 7.4 oz
High / low pressure:	30.5 / 6 bar 445 / 88 psig
Temperature range:	-20°C - +55°C
Air volume flow:	Ambient air circuit: 320 m³/h Cabinet air circuit: 375 m³/h
Mounting:	External
Dimension HxWxD:	900 x 304 x 270 mm
Weight:	38 kg
Voltage / Frequency:	230 V ~ 50/60 Hz
Current L35L35:	4.0 A @ 50 Hz 4.2 A @ 60 Hz
Starting current:	16 A
Max. current:	5.4 A
Nominal power L35L35:	770 W @ 50 Hz 830 W @ 60 Hz
Max. power:	1155 W
Fuse:	9 A (T)
Connection:	Connection terminal block

Please click on the graphics to download.
 More CAD drawings can be found under [Product Download](#).
 > [Overview product group Cooling units - Outdoor](#)

