

Outdoor Air Conditioner OC 5720-230V



Product Features

Brand Name:	SoliTherm Outdoor
Order Number:	572000001
Color:	RAL 7035
Housing Material:	Mild steel, powder coated
IP class EN 60529:	IP 56 (TYPE 12, 3, 3R, 4)
Optional:	With 1,000 W cabinet heater order no. 572001001
Approvals:	CE, cURus, RoHS
Taric Code:	84158200

Technical data OC 5720-230V

Cooling capacity L35L35:	2 kW @ 50 Hz 2 kW @ 60 Hz
Cooling capacity L35L50:	1.60 kW @ 50 Hz 1.65 kW @ 60 Hz
Compressor:	Reciprocating compressor
Refrigerant / GWP:	R134a / 1430
Refrigerant charge:	480 g / 17 oz
High / low pressure:	26 / 6 bar 425 / 88 psig
Temperature range:	-20°C - +55°C
Air volume flow:	Ambient air circuit: 655 m³/h Cabinet air circuit: 400 m³/h
Mounting:	External
Dimension HxWxD:	1,150 x 395 x 270 mm
Weight:	49 kg
Voltage / Frequency:	230 V ~ 50/60 Hz
Current L35L35:	5.5 A @ 50 Hz 6.5 A @ 60 Hz
Starting current:	16 A
Max. current:	7.9 A
Nominal power L35L35:	1,17 kW @ 50 Hz 1,41 kW @ 60 Hz
Max. power:	1,65 kW @ 50 Hz 2,1 kW @ 60 Hz
Fuse:	13 A (T)
Connection:	Connection terminal block

Please click on the graphics to download.

More CAD drawings can be found under [Product Download](#).

> [Overview product group Cooling units - Outdoor](#)

